

**SANITARY DISTRICT NO. 2
OF MARIN COUNTY**

**PARALLEL FORCE MAIN
PROJECT NO. 06-202**

**ADDENDUM NO. 1
DATED: July 12, 2010**

This addendum forms part of the Contract Documents and modifies the original Plans and Specifications. **Bidders shall acknowledge receipt of this Addendum on the space provided in the Bidder's Proposal (page 8 of the Bid Forms).** Failure to acknowledge receipt of the addendum may subject the bidder to disqualification.

**Please note: The bid date has changed. Bids are now due on August 23, 2010.
Notice to Proceed will be issued no sooner than November 24, 2010.**

GENERAL:

The following changes, deletions, and additions shall be made to the following documents, as noted, and shall take precedence over the original Contract Documents. All other requirements remain the same.

<u>Item</u>	<u>Drawing/Specification</u>	<u>Description</u>
1.01	Bid Forms and Special Provisions	Notice Inviting Bids

Replace:

“SEALED BIDS will be received at the office of the District Clerk, located at 300 Tamalpais Drive, Corte Madera, California 94925, until the hour of 2:00 pm on July 16, 2010 at which time they will be publicly opened and read, for performing the following work:”

With:

“SEALED BIDS will be received at the office of the District Clerk, located at 300 Tamalpais Drive, Corte Madera, California 94925, until the hour of 2:00 pm on August 23, 2010 at which time they will be publicly opened and read, for performing the following work:”

<u>Item</u>	<u>Drawing/Specification</u>	<u>Description</u>
1.02	Bid Forms and Special Provisions	<p>Bidder's Proposal</p> <p>Replace this section in its entirety – see attached Bidder's Proposal</p>
1.03	Bid Forms and Special Provisions	<p>Bid Schedule</p> <p>Replace this section in its entirety – see attached Bid Schedule.</p>
1.04	Bid Forms and Special Provisions	<p>Special Provisions</p> <p>Add:</p> <p style="text-align: center;"><u>“115 SOILS INVESTIGATION</u></p> <p>No geotechnical investigation was conducted for this project. Electronic copies of previous geotechnical studies conducted for the District are available upon request.</p> <p>The geotechnical information provided by the District cannot be used as a basis for future claims of changed conditions and is only representative of the time and location that the data was taken. The District strongly recommends that the Contractor shall not rely on the information exclusively for any purpose .”</p>
1.05	Section 00700	<p>General Conditions</p> <p style="text-align: center;">2.27 WORK IN PUBLIC STREETS AND RIGHTS-OF-WAY</p> <p style="text-align: center;">A. GENERAL</p> <p>Add:</p> <p>The District will be responsible for filing an extension for the Caltrans encroachment permit if needed.</p>

Item Drawing/Specification Description

3.03 TIME FOR SIGNING CONTRACT

Replace:

- A. “Upon being duly awarded the Contract between the District and the Contractor, the bidder shall enter into the Contract for the work as hereinafter stipulated.”

With:

- A. “Within ninety (90) calendar days after the time of opening of bids, the District will act either to accept a bid, to reject all bids or with the consent of the bidders and their sureties to extend the time in which the District may act. The acceptance of a bid will be evidenced by a Notice of Award of Contract in writing. No other act of District will constitute acceptance of a bid. Upon being duly awarded the Contract between the District and the Contractor, the bidder shall enter into the Contract for the work as hereinafter stipulated.”

Add:

- “C. The bid guarantees of the three lowest bidders will be retained until the Construction Contract is executed, evidence of insurance provided, and satisfactory bonds furnished or other disposition made thereof.”

3.04 NOTICE TO PROCEED

Replace:

“Upon receiving the necessary bonds and insurance, the District shall issue to the Contractor a Notice to Proceed.”

With:

“Upon receiving the necessary bonds and insurance,

<u>Item</u>	<u>Drawing/Specification</u>	<u>Description</u>
-------------	------------------------------	--------------------

the District shall issue to the Contractor a Notice to Proceed unless indicated otherwise. Notice to Proceed will be issued no sooner than November 24, 2010.”

1.06 Section 02160

Excavation Support Systems

3.03 QUALITY ASSURANCE

A. Special Requirements for Shoring and Excavating in Bay Mud

Replace:

1. “Trenches or other excavations, where the distance from the existing grade to the bottom of the excavation exceed eight (8) feet, shall be interlocking, continuous solid sheathing. Said sheathing shall be-designed to resist an equivalent fluid pressure having a density of at least 100-lbs. per cubic foot for the full height of the trench and shall be installed for the full depth of the trench and to a sufficient depth below the bottom of the excavation to prevent heaving of the bottom, and shall be adequately supported in place with walers and braces. Fill voids between sheeting and trench wall with pea gravel.”

With:

1. “Trenches or other excavations, where the distance from the existing grade to the bottom of the excavation exceed eight (8) feet, shall be designed to resist an equivalent fluid pressure having a density of at least 100-lbs. per cubic foot for the full height of the trench and shall be installed for the full depth of the trench and to a sufficient depth below the bottom of the excavation to prevent heaving of the bottom, and shall be adequately supported. Fill voids between sheeting and trench wall with pea gravel.”

<u>Item</u>	<u>Drawing/Specification</u>	<u>Description</u>
1.07	Section 02600	Sliplining

3.06 SPOT REPAIRS

Add:

Spot repairs requested by the District will be considered a change order as described in Section 00700, GENERAL CONDITIONS.

BIDDER'S PROPOSAL

SANITARY DISTRICT NO. 2 OF MARIN COUNTY

PARALLEL FORCE MAIN

PROJECT NO. 06-202

Proposal of _____ (hereinafter called "BIDDER"), organized and existing under the laws of the State of _____, doing business as * _____ to Sanitary District No. 2 (hereinafter called "OWNER").

In compliance with your Advertisement for Bids, BIDDER hereby proposes to perform all WORK for the construction of Project No. 06-202 in strict accordance with the CONTRACT DOCUMENTS, within the time set forth therein, and at the prices stated below. This bid will remain subject to acceptance for a period of ninety (90) days, as specified in the General Conditions after the day of the Bid opening.

By submission of this BID, each BIDDER certifies, and in the case of a joint BID each party therein certifies as to his own organization, that this BID has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this BID with any other BIDDER or with any competitor.

BIDDER hereby agrees to commence WORK under this contract within 10 days of the date to be specified in the NOTICE TO PROCEED and to fully complete the PROJECT within 80 consecutive working days. BIDDER further agrees to pay as liquidated damages, the sum of \$1000 for each consecutive working day thereafter as provided in Section 5.06 of the County Standard Specifications.

BIDDER acknowledges receipt of the following ADDENDUM:

Addendum #1 _____ Addendum #2 _____ Addendum #3 _____

BIDDER acknowledges notification that the date which the NOTICE TO PROCEED will be issued is no earlier than November 24, 2010.

BIDDER agrees to perform the work described in the CONTRACT DOCUMENTS for the unit prices or lump sum prices stated on the attached BID SCHEDULE.

* Insert "a corporation" or "a partnership" or "an individual" as applicable.

BID SCHEDULE

NOTE: Bids shall include sales tax and all other applicable taxes and fees.

The award of Contract, if it is awarded, will be awarded to the lowest responsive, responsible Bidder whose proposal complies with all the requirements prescribed.

The low bid will be determined by the total of the Base Bid. In the event of a difference between a price quoted in words and a price quoted in figures for the same quotation, the words shall be the amount bid. In the event that the product of a unit price and an estimated quantity does not equal the extended amount quoted, the unit price shall govern, and the correct product of the unit price and the estimated quantity shall be deemed to be the amount bid. If the sum of two or more items in a bidding schedule does not equal the total amount quoted, the individual item amounts shall govern and the correct total shall be deemed to be the amount bid.

PIPE MATERIAL SELECTION

Bidder shall indicate the pipe material to be installed for Base Bid, as described under Bid Items 6 through 8 and as shown on the project plans by placing a check mark in the applicable box below. Bidder shall check only one.

High Density Polyethylene Pipe (HDPE)

Fusible Polyvinyl Chloride Pipe (FPVC)

BASE BID

Item No.	Description	Est. Qty.	Units	Unit Price	Total Amount
1	Mobilization	1	LS	\$ _____	\$ _____
2	Construction Dewatering; Permitting; Pumping and Disposal	1	LS	\$ _____	\$ _____
3	Field Locating Existing Utilities	1	LS	\$ _____	\$ _____
4	Host Pipe Cleaning	4,220	LF	\$ _____	\$ _____
5	Host Pipe CCTV	4,220	LF	\$ _____	\$ _____
6	Slipline 8-inch HDPE or 8-inch FPVC Force Main	1,800	LF	\$ _____	\$ _____

Item No.	Description	Est. Qty.	Units	Unit Price	Total Amount
7	Slipline 12-inch HDPE or 12-inch FPVC Force Main	1,800	LF	\$ _____	\$ _____
8	Slipline 14-inch HDPE or 12-inch FPVC Force Main	620	LF	\$ _____	\$ _____
9	Connection to Village Pump Station Force Main	1	LS	\$ _____	\$ _____
10	Connection to Fifer Pump Station Force Main	1	LS	\$ _____	\$ _____
11	Connection to Trailer Court Pump Station Force Main	1	LS	\$ _____	\$ _____
12	Air Release Valves	3	EA	\$ _____	\$ _____
13	Crossing of PG&E Distribution Gas Main and 22-inch SSFM	1	LS	\$ _____	\$ _____
14	Connection to Existing 24-inch Force Main	1	LS	\$ _____	\$ _____
15	District Valve Investigation	1	LS	\$ _____	\$ _____
16	Traffic Control	1	LS	\$ _____	\$ _____
17	All Sheeting, Shoring, and Bracing	1	LS	\$ _____	\$ _____
TOTAL BASE BID (Items 1 through 17 inclusive):					\$ _____

Total Bid Amount Written Out: _____

Respectfully submitted:

(Please type or print)